

# SCHEDULE OF QUANTITY

Job No. 1

Estimated cost- 33190.00


Assistant Engineer  
Municipal Corporation  
Mandi (H.P.)

Bidders Name & Address : \_\_\_\_\_

Name of Work :- Repair to sewerage line behind toilet near Banminton Hall at Paddad Ground, W.No. 3, Mandi.

S. No.	Item of work	Qty.	Unit.	Rate (in figures)	Amount
1	Providing and fixing on walls or laid in floor 110mm diameter unplasticised Rigid PVC pipe single socketed conforming to IS13592 Type A including jointing with seal ring	18.00	RM		
2	Providing and fixing on walls or laid in floor unplasticised Rigid PVC moulded fitting/accessories (Bend 87 degree 110mm) forPVC pipes conforming to IS 13592 Type A including jointing with seal ring	4.00	Each		
3	Providing and fixing on walls or laid in floor unplasticised Rigid PVC mouldede fitting/accessories (Single Tee with door110x110x110mm) for PVC pipes conforming to IS 13592 Type A including jointing with seal ring	8.00	Each		
4	Earth work in excavation by mechanical means(Hydraulic excavator/manual means in foundation, trenches or drains (not exceeding 1.5 mtr in with or 10 sqm on plan, including dressing of sides and ramming of bottoms, lift upto 1.5m, including getting out excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 mtr, any kind of soil.	6.68	Cum		

5	Providing and laying in position cement concrete of grade 1:4:8 (1 cement :4 coarse sand: 8 stone aggregate 40mm nominalsize) excluding cost of centering and shuttering - all work upto plinth level.	0.36	Cum		
6	Brick work with common burnt clay F.P.S. (Non modular) bricks of class designation 7.5 in superstructure above plinth level upto floor V level in all shapes and sizes in cement mortar 1:6 (1 cement : 6 coarse sand)	0.94	Cum		
7	12 mm thick Cement plaster of mix 1:4 (1 cement : 4 fine sand)	2.70	Sqm		
8	Reinforced cement concrete 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size), in beams,suspended floors, roof , landing, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases	0.18	Cum		
9	Steel reinforcement for RCC Work including straightening, cutting, bending, placing in position and binding all complete using Thermo-Mechanically Treated bars of grade Fe 500D or more	18.23	Kg		
10	Providing and laying in position cement concrete of grade 1:2:4 (1 cement :2 coarse sand: 4 stone aggregate 40mm nominalsize) excluding cost of centering and shuttering - all work upto plinth level.	0.02	Cum		
	Total				

  
 Assistant Engineer  
 Municipal Corporation  
 Mandi (H.P.)